## A Fediverse/Mastodon bot for BGP queries

## Stéphane Bortzmeyer

<stephane+blog@bortzmeyer.org>

First publication of this article on 2 November 2019. Last update on of 11 January 2025

https://www.bortzmeyer.org/fediverse-bot-bgp.html

I created a bot to answer BGP queries over the fediverse (decentralized social network, best known implementation being Mastodon). What for? Well, mostly for the fun, but also because I need from time to time to find out the origin AS for an IP address or prefix, and I don't have a direct access to a DFZ router. This article is to document this project.

The idea was originally suggested during my lightning talk <a href="https://ripe76.ripe.net/programme/meeting-plan/plenary/">https://ripe76.ripe.net/programme/meeting-plan/plenary/</a> at RIPE 76 meeting <a href="https://ripe76.ripe.net/">https://ripe76.ripe.net/</a> in Marseille.

First, how to use it. Once you have a Fediverse account (for Mastodon, see), you write to @bgp@mastodon.gougere.f You just tell it the IP address (or IP prefix) you want to know about and it replies with the actually announced prefix and the origin AS. There are also links to the RIPE Stat service, for more details. Here is an example, with the answer:

The bot replies with the same level of confidentiality as the query. So, if you want the request to be private, use the "direct" mode. Note that the bot itself is very indiscreet: it logs everything, and I read it. So, your direct messages will be private only from third parties, not from the bot administrator.

If you are a command-line fan, you can use the madonctl <a href="https://github.com/McKael/madonctl">https://github.com/McKael/madonctl</a> tool to send the query to the bot:

```
% madonctl toot "@bgp@mastodon.gougere.fr 2a01:e34:ec2a:94a0::4"
```

## You can even make a shell function:

```
# Definition (in a startup file)
whichasn() {
    madonctl toot --visibility direct "@bgp@mastodon.gougere.fr $1"
}
# Usage
% whichasn 2001:67c:2218:e::51:41
```

You can also, instead of an IP address, just send "info" and the bot will reply with details about the number of prefixes and AS it knows.

There is also a more classical (non-fediverse) Web interface <a href="https://www.bortzmeyer.org/bgp-api.html">https://bgp.bortzmeyer.org/IPADDRESS.For instance, with curl:</a>

```
% curl https://bgp.bortzmeyer.org/159.89.230.222
159.89.224.0/20 1406
```

Note that, unlike the fediverse interface, the Web interface is not really necessary, you could use other online services such as RIPE Stat <a href="https://stat.ripe.net/index/documentation">https://stat.ripe.net/index/documentation</a>. Here is an example with RIPE Stat (we use jq <a href="https://stedolan.github.io/jq/">https://stedolan.github.io/jq/</a> to parse the resulting JSON):

```
\ curl -s https://stat.ripe.net/data/routing-status/data.json\?resource=185.49.140.0 | jq .data.resource "185.49.140.0/22"
```

Now, the implementation of the bot. (You can get all the files at .) The code is derived from my DNS bot <a href="https://framagit.org/bortzmeyer/mastodon-dns-bot/">https://framagit.org/bortzmeyer/mastodon-dns-bot/</a> so I won't repeat here most of the stuff, only the BGP-specific things.

The bot backend could call directly the RIPE stat API <a href="https://stat.ripe.net/docs/data\_api">https://stat.ripe.net/docs/data\_api</a>> mentioned above. But there is a limit in the number of requests and, if the bot is popular, it could be blacklisted. Same thing for other online services. Hence my choice of getting the raw RIS dumps <a href="http://www.ris.ripe.net/dumps/">http://www.ris.ripe.net/dumps/</a>>. Parsing them and serving them to the bot is done by the WhichASN daemon <a href="https://framagit.org/bortzmeyer/whichasn">https://framagit.org/bortzmeyer/whichasn</a>>.

Other useful services and readings for the BGP fans :

- We rely on the excellent RIS (Routing Information Service) <a href="https://www.ripe.net/analyse/">https://www.ripe.net/analyse/</a> internet-measurements/routing-information-service-ris/routing-information-service which collects and stores BGP information, before making them available to the public.
- There are other ways to access RIS data, such as RIPE Stat <a href="https://stat.ripe.net/">https://stat.ripe.net/</a> or RIS Live <a href="https://ris-live.ripe.net/">https://ris-live.ripe.net/</a>.
- The RouteViews project <a href="http://www.routeviews.org/">http://www.routeviews.org/</a> http://www.routeviews.org/routeviews/index.php/tools/>, such as a DNS interface. It would solve the rate-limiting issue but, unfortunately, it works only with IPv4.
- I also like the Qrator API <a href="https://api.radar.qrator.net/">https://api.radar.qrator.net/</a> (but you need to register).
- I could also have used BGPstream <https://bgpstream.caida.org/>.
- There are also several whois servers distributing BGP information such as whois.cymru.com or whois.bgpmon.net.